

Summary of New Zealand Bird Finding for Last 10 Trips in 2018 and 2019			Percentage of Tours Seen	Number of Days on Avg. Seen per Tour
KIWIS - APTERYGIDAE				
E	Southern Brown Kiwi	<i>Apteryx australis</i>	100.0%	1.1
E	Okarito Brown Kiwi (Rowi)	<i>Apteryx rowi</i>	90.0%	0.9
E	Northern Brown Kiwi	<i>Apteryx mantelli</i>	90.0%	0.9
E	Great Spotted Kiwi	<i>Apteryx haastii</i>	50.0%	0.4
E	Little Spotted Kiwi	<i>Apteryx owenii</i>	100.0%	1
PHEASANTS, PARTRIDGES & TURKEYS - PHASIANIDAE				
	Feral (Wild) Turkey	<i>Meleagris gallopavo</i>	100.0%	5.6
	Indian Peafowl (Peacock)	<i>Pavo cristatus</i>	100.0%	1.8
	Common (Ring-necked) Pheasant	<i>Phasianus colchicus</i>	100.0%	5.1
	Chukar	<i>Alectoris chukar</i>	50.0%	0.4
	Brown Quail	<i>Coturnix ypsilophora</i>	100.0%	2.6
NEW WORLD QUAILS - ODONTOPHORIDAE				
	California Quail	<i>Lophortyx californicus</i>	100.0%	6.1
SWANS, GEESE, & DUCKS - ANATIDAE				
	Mute Swan	<i>Cygnus olor</i>	80.0%	0.8
	Black Swan	<i>Cygnus atratus</i>	100.0%	13.9
	Cape Barren Goose	<i>Cereopsis novaehollandiae</i>	40.0%	0.3
	Greylag (Feral) Goose	<i>Anser anser</i>	100.0%	7.1
	Canada Goose	<i>Branta canadensis</i>	100.0%	9.9
E	Paradise Shelduck	<i>Tadorna variegata</i>	100.0%	19.3
E	Blue Duck	<i>Hymenolaimus malacorhynchos</i>	100.0%	1.4
	Grey Teal	<i>Anas gracilis</i>	100.0%	9.8
E	Brown Teal	<i>Anas chlorotis</i>	100.0%	2.9
	Mallard	<i>Anas platyrhynchos</i>	100.0%	18.3
	Pacific Black (Grey) Duck	<i>Anas superciliosa</i>	90.0%	3.7
	Australasian Shoveler	<i>Anas rhynchotis</i>	100.0%	10.1
E	New Zealand Scaup	<i>Aythya novaeseelandiae</i>	100.0%	11.6
GREBES - PODICIPEDIDAE				
	Great Crested Grebe	<i>Podiceps cristatus</i>	90.0%	2.6
E	New Zealand Dabchick (Grebe)	<i>Poliiocephalus rufopectus</i>	90.0%	4.2
	Australasian Little Grebe	<i>Tachybaptus novaehollandiae</i>	90.0%	0.9
PENGUINS - SPHENISCIDAE				
E	Fiordland (New Zealand) Crested Penguin	<i>Eudyptes pachyrhynchus</i>	100.0%	3.2
E	Yellow-eyed Penguin	<i>Megadyptes antipodes</i>	100.0%	1.6
	Little Penguin	<i>Eudyptula minor</i>	100.0%	5.7
ALBATROSSES - DIOMEDEIDAE				
E	Southern Royal Albatross	<i>Diomedea epomophora</i>	100.0%	2
E	Northern Royal Albatross	<i>Diomedea sanfordi</i>	100.0%	1.3
E	New Zealand [Wandering] Albatross	<i>Diomedea antipodensis</i>	90.0%	1.2

Summary of New Zealand Bird Finding for Last 10 Trips in 2018 and 2019			Percentage of Tours Seen	Number of Days on Avg. Seen per Tour
E	Campbell Albatross	<i>Thalassarche impavida</i>	40.0%	0.4
	Black-browed Albatross	<i>Thalassarche melanophris</i>	60.0%	0.6
E	White-capped Albatross	<i>Thalassarche steadi</i>	100.0%	5.8
E	Salvin's Albatross	<i>Thalassarche salvini</i>	90.0%	2.8
E	Buller's Albatross	<i>Thalassarche bulleri</i>	40.0%	0.7
FULMARS, PETRELS, PRIONS & SHEARWATERS - PROCELLARIIDAE				
	Southern Giant Petrel	<i>Macronectes giganteus</i>	60.0%	0.7
	Northern Giant Petrel	<i>Macronectes halli</i>	100.0%	5.2
	Cape Petrel (Pigeon)	<i>Daption capense</i>	100.0%	2.8
E	Grey-faced Petrel	<i>Pterodroma gouldi</i>	70.0%	1.1
E	Mottled Petrel	<i>Pterodroma inexpectata</i>	80.0%	1
E	Cook's Petrel	<i>Pterodroma cookii</i>	90.0%	2.8
E	Pycroft's Petrel	<i>Pterodroma pycrofti</i>	60.0%	0.6
	Broad-billed Prion	<i>Pachyptila vittata</i>	50.0%	0.4
	Fairy Prion	<i>Pachyptila turtur</i>	90.0%	3.6
	White-chinned Petrel	<i>Procellaria aequinoctialis</i>	100.0%	2.3
E	Westland Petrel	<i>Procellaria westlandica</i>	100.0%	2.3
E	Black (Parkinson's) Petrel	<i>Procellaria parkinsoni</i>	100.0%	1.4
E	Buller's Shearwater	<i>Puffinus bulleri</i>	100.0%	2.8
	Flesh-footed Shearwater	<i>Puffinus carneipes</i>	100.0%	2.9
	Sooty Shearwater	<i>Puffinus griseus</i>	90.0%	4.1
	Short-tailed Shearwater	<i>Puffinus tenuirostris</i>	80.0%	0.9
E	Fluttering Shearwater	<i>Puffinus gavia</i>	100.0%	4.8
E	Hutton's Shearwater	<i>Puffinus huttoni</i>	90.0%	2.2
	Little Shearwater	<i>Puffinus assimilis</i>	70.0%	0.9
STORM-PETRELS - OCEANITIDAE				
	Grey-backed Storm Petrel	<i>Garrodia nereis</i>	70.0%	0.7
	White-faced Storm Petrel	<i>Pelagodroma marina</i>	100.0%	2.3
E	New Zealand Storm Petrel	<i>Fregatta maoriana</i>	100.0%	1.2
DIVING-PETRELS - PROCELLARIIDAE				
	Common Diving Petrel	<i>Pelecanoides urinatrix</i>	100.0%	4.2
GANNETS & BOOBIES - SULIDAE				
	Australasian Gannet	<i>Morus serrator</i>	100.0%	9.7
SHAGS & CORMORANTS - PHALACROCORACIDAE				
	Little Pied Cormorant	<i>Phalacrocorax melanoleucos</i>	100.0%	16.1
	Great Cormorant	<i>Phalacrocorax carbo</i>	90.0%	10.7
	Pied Cormorant (Shag)	<i>Phalacrocorax varius</i>	90.0%	11.8
	Little Black Cormorant (Shag)	<i>Phalacrocorax sulcirostris</i>	90.0%	2.6
E	New Zealand King Shag (Rough-faced Cormorant)	<i>Leucocarbo carunculatus</i>	100.0%	1.4

Summary of New Zealand Bird Finding for Last 10 Trips in 2018 and 2019			Percentage of Tours Seen	Number of Days on Avg. Seen per Tour
E	Otago Shag	<i>Leucocarbo chalconotus</i>	100.0%	1.4
E	Foveaux Shag	<i>Leucocarbo stewarti</i>	90.0%	2.7
E	Spotted Shag	<i>Stictocarbo punctatus</i>	100.0%	6
HERONS, EGRETS, & BITTERNs - ARDEIDAE				
	Great Egret (White Heron)	<i>Ardea alba</i>	100.0%	1
	Cattle Egret	<i>Ardea ibis</i>	60.0%	0.7
	White-faced Heron	<i>Egretta novaehollandiae</i>	100.0%	18.3
	Eastern Reef Egret (Heron)	<i>Egretta sacra</i>	90.0%	1.1
	Australasian Bittern	<i>Botaurus poiciloptilus</i>	80.0%	1.1
SPOONBILLS & IBISES - THRESKIORNITHIDAE				
	Royal Spoonbill	<i>Platalea regia</i>	100.0%	9.6
HAWKS, EAGLES, KITES & HARRIERS - ACCIPTRIDAE				
	Swamp (Australasian) Harrier	<i>Circus approximans</i>	100.0%	19.7
FALCONS - FALCONIDAE				
E	New Zealand Falcon	<i>Falco novaeseelandiae</i>	100.0%	2.8
RAILS - RALLIDAE				
	Banded (Buff-Banded) Rail	<i>Gallirallus philippensis</i>	100.0%	2.1
E	Weka	<i>Gallirallus australis</i>	100.0%	4.3
	Spotless Crake	<i>Porzana tabuensis</i>	90.0%	1.1
	Baillon's (Marsh) Crake	<i>Porzana pusilla</i>	50.0%	0.4
	Pukeko (Purple Swampphen)	<i>Porphyrio melanotus</i>	100.0%	18.1
E	South Island Takahe	<i>Porphyrio hochstetteri</i>	100.0%	2.2
	Eurasian Coot	<i>Fulica atra</i>	100.0%	5.4
SNIPES, SANDPIPERS, PHALAROPES & ALLIES - SCOLOPACIDAE				
	Red Knot	<i>Calidris canutus</i>	100.0%	4.3
	Curlew Sandpiper	<i>Calidris ferruginea</i>	80.0%	1.2
	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	100.0%	1.6
	Pectoral Sandpiper	<i>Calidris melanotos</i>	50.0%	0.4
	Red-necked Stint	<i>Calidris ruficollis</i>	70.0%	1
	Bar-tailed Godwit	<i>Limosa lapponica</i>	100.0%	8.8
	Ruddy Turnstone	<i>Arenaria interpres</i>	90.0%	3.3
OYSTERCATCHERS - HAEMATOPODIDAE				
E	Variable Oystercatcher	<i>Haematopus unicolor</i>	100.0%	16.7
E	South Island Pied Oystercatcher	<i>Haematopus finschi</i>	100.0%	11.6
AVOCETS & STILTS - RECURVIROSTRIDAE				
	Pied (Black-winged) Stilt	<i>Himantopus himantopus</i>	100.0%	15
E	Black Stilt	<i>Himantopus novaezealandiae</i>	90.0%	1.3
PLOVERS, DOTTERELS & LAPWINGS - CHARADRIIDAE				
	Pacific Golden Plover	<i>Pluvialis fulva</i>	90.0%	2.3
E	New Zealand Dotterel (Red-breasted Plover)	<i>Charadrius obscurus</i>	100.0%	4.4

Summary of New Zealand Bird Finding for Last 10 Trips in 2018 and 2019			Percentage of Tours Seen	Number of Days on Avg. Seen per Tour
E	Banded Dotterel (Double-banded Plover)	<i>Charadrius bicinctus</i>	100.0%	6.3
E	Wrybill	<i>Anarhynchus frontalis</i>	100.0%	3.6
	Black-fronted Dotterel	<i>Elseyaornis melanops</i>	100.0%	1.8
	Masked Lapwing (Spur-winged Plover)	<i>Vanellus miles</i>	100.0%	18.6
SKUAS & JAEGERS - STERCORARIIDAE				
	Southern (Brown) Skua	<i>Catharacta antarctica</i>	100.0%	1.8
	Parasitic Jaeger (Arctic Skua)	<i>Stercorarius parasiticus</i>	90.0%	2.4
GULLS - LARIDAE				
	Kelp (Black-backed) Gull	<i>Larus dominicanus</i>	100.0%	20.8
E	Red-billed Gull	<i>Larus scopulinus</i>	100.0%	19.1
E	Black-billed Gull	<i>Larus bulleri</i>	100.0%	12.6
TERNS - STERNIDAE				
	Grey Ternlet (Blue Noddy)	<i>Procelsterna cerulea</i>	30.0%	0.2
	Little Tern	<i>Sternula albifrons</i>	20.0%	0.1
	Fairy Tern	<i>Sternula nereis</i>	90.0%	1.2
	Caspian Tern	<i>Hydroprogne caspia</i>	100.0%	9.2
E	Black-fronted Tern	<i>Chlidonias albostrigatus</i>	100.0%	5.6
	White-fronted Tern	<i>Sterna striata</i>	100.0%	13.9
PIGEONS & DOVES - COLUMBIDAE				
	Rock (Feral) Pigeon	<i>Columba livia</i>	90.0%	14.6
	Barbary (African Collared) Dove	<i>Streptopelia risoria</i>	90.0%	4
	Spotted Dove	<i>Streptopelia chinensis</i>	100.0%	4.9
E	New Zealand Pigeon	<i>Hemiphaga novaeseelandiae</i>	100.0%	13
NEW ZEALAND PARROTS - STRIGOPOIDEA				
E	New Zealand Kaka	<i>Nestor meridionalis</i>	100.0%	7
E	Kea	<i>Nestor notabilis</i>	100.0%	2.7
COCKATOOS - CACATUOIDEA				
	Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	40.0%	0.3
TRUE PARROTS - PSITTACOIDEA				
	Eastern Rosella	<i>Platycercus eximius</i>	100.0%	4.7
E	Red-crowned Parakeet	<i>Cyanoramphus novaezelandiae</i>	100.0%	4.1
E	Yellow-crowned Parakeet	<i>Cyanoramphus auriceps</i>	100.0%	2.6
E	Orange-fronted Parakeet	<i>Cyanoramphus malherbi</i>	90.0%	0.9
CUCKOOS- CUCULIDAE				
	Shining Bronze Cuckoo	<i>Chalcites lucidus</i>	80.0%	1.8
E	Long-tailed Cuckoo (Koel)	<i>Eudynamys taitensis</i>	90.0%	1.4
TYPICAL OWLS - STRIGIDAE				
	Morepork	<i>Ninox novaeseelandiae</i>	100.0%	3.6
	Little Owl	<i>Athene noctua</i>	100.0%	1.1

Summary of New Zealand Bird Finding for Last 10 Trips in 2018 and 2019			Percentage of Tours Seen	Number of Days on Avg. Seen per Tour
TREE KINGFISHERS - HALCYONIDAE				
	Laughing Kookaburra	<i>Dacelo novaeguineae</i>	50.0%	0.7
	Sacred Kingfisher	<i>Todiramphus sanctus</i>	100.0%	11.4
NEW ZEALAND WRENS - ACANTHISITTIDAE				
E	Rifleman	<i>Acanthisitta chloris</i>	100.0%	4.9
E	Rock (South Island) wren	<i>Xenicus gilviventris</i>	60.0%	0.6
NEW ZEALAND WATTLEBIRDS - CALLAEIDAE				
E	North Island Kokako	<i>Callaeas wilsoni</i>	100.0%	1.9
E	North Island Saddleback	<i>Philesturnus rufusater</i>	100.0%	3
E	South Island Saddleback	<i>Philesturnus carunculatus</i>	100.0%	1.3
STITCHBIRD - NOTIOMYSTIDAE				
E	Stitchbird (Hihi)	<i>Notiomystis cincta</i>	100.0%	2
GERYGONES - ACANTHIZIDAE				
E	Grey Gerygone (Warbler)	<i>Gerygone igata</i>	90.0%	11
HONEYEATERS - MELIPHAGIDAE				
E	New Zealand Bellbird	<i>Anthornis melanura</i>	100.0%	12.4
E	Tui	<i>Prothemadera novaeseelandiae</i>	100.0%	16.1
NEW ZEALAND CREEPERS - MOHOUIDAE				
E	Whitehead	<i>Mohoua albicilla</i>	100.0%	4.8
E	Yellowhead	<i>Mohoua ochrocephala</i>	100.0%	2
E	Brown Creeper (Pipipi)	<i>Mohoua novaeseelandiae</i>	100.0%	3.8
BELL MAGPIES - CRACTICIDAE				
	Australian Magpie	<i>Gymnorhina tibicen</i>	100.0%	18.9
FANTAILS - RHIPIDURIDAE				
E	New Zealand Fantail	<i>Rhipidura fuliginosa</i>	100.0%	14.9
CROWS, RAVENS & JAYS - CORVIDAE				
	Rook	<i>Corvus frugilegus</i>	10.0%	0.3
AUSTRALASIAN ROBINS - PETROICIDAE				
E	New Zealand Tomtit	<i>Petroica macrocephala</i>	100.0%	6.2
E	North Island Robin	<i>Petroica longipes</i>	100.0%	4.8
E	South Island Robin	<i>Petroica australis</i>	100.0%	3
LARKS - ALAUDIDAE				
	Eurasian Skylark	<i>Alauda arvensis</i>	100.0%	16.1
GRASS-WARBLERS & ALLIES - LOCUSTELLIDAE				
E	Fernbird	<i>Bowdleria punctata</i>	100.0%	3
WHITE-EYES - ZOSTEROPIDAE				
	Silvereve (Waxeye)	<i>Zosterops lateralis</i>	100.0%	14.3
SWALLOWS & MARTINS - HIRUNDINIDAE				
	Welcome Swallow	<i>Hirundo neoxena</i>	100.0%	19.8

Summary of New Zealand Bird Finding for Last 10 Trips in 2018 and 2019			Percentage of Tours Seen	Number of Days on Avg. Seen per Tour
THRUSHES - TURDIDAE				
Eurasian Blackbird	<i>Turdus merula</i>	100.0%	20.2	
Song Thrush	<i>Turdus philomelos</i>	100.0%	18.9	
STARLINGS - STURNIDAE				
Common Starling	<i>Sturnus vulgaris</i>	100.0%	20.1	
Common Myna	<i>Acridotheres tristis</i>	100.0%	9.2	
TRUE SPARROWS - PASSERIDAE				
House Sparrow	<i>Passer domesticus</i>	100.0%	19.8	
WAGTAILS & PIPITS - MOTACILLIDAE				
E New Zealand Pipit	<i>Anthus novaeseelandiae</i>	100.0%	2.9	
ACCENTORS - PRUNELLIDAE				
Dunnock	<i>Prunella modularis</i>	100.0%	8.6	
TRUE FINCHES - FRINGILLIDAE				
Common Chaffinch	<i>Fringilla coelebs</i>	100.0%	16.9	
European Goldfinch	<i>Carduelis carduelis</i>	100.0%	16.4	
European Greenfinch	<i>Carduelis chloris</i>	100.0%	12.2	
Lesser (Common) Redpoll	<i>Carduelis cabaret (flammea)</i>	40.0%	2.7	
BUNTINGS & AMERICAN SPARROWS - EMBERIZIDAE				
Yellowhammer	<i>Emberiza citrinella</i>	100.0%	13.1	
Cirl Bunting	<i>Emberiza cirlus</i>	60.0%	0.6	
Common Redpoll	<i>Carduelis flammea</i>	60.0%	3.4	
Additional Bird Species Seen				
Far-eastern Curlew	<i>Numenius madagascariensis</i>	30.0%	< 1	
Broad-billed Sandpiper	<i>Limicola falcinellus</i>	60.0%	< 1	
Northern Shoveler	<i>Anas clypeata</i>	40.0%	< 1	
Chestnut-breasted Shelduck	<i>Tadorana tadornoides</i>	60.0%	< 1	
Little Stint	<i>Calidris minuta</i>	20.0%	< 1	
Plumed Whistling Duck	<i>Dendrocygna eytoni</i>	100.0%	< 1	
Hudsonian Godwit	<i>Limosa haemastica</i>	30.0%	< 1	
Little Egret	<i>Egretta garzetta</i>	40.0%	< 1	
Common Tern	<i>Sterna hirundo longipennis</i>	40.0%	< 1	
Glossy Ibis	<i>Plegadis falcinellus</i>	60.0%	< 1	
Hoary-headed Grebe	<i>Poliiocephalus poliocephalus</i>	90.0%	< 1	
Sanderling	<i>Calidris alba</i>	30.0%	< 1	
Australian Shelduck	<i>Tadorna tadornoides</i>	20.0%	< 1	
Wilson's Storm Petrel	<i>Oceanites oceanicus</i>	30.0%	< 1	
Black Kite	<i>Milvus migrans</i>	30.0%	< 1	
Snares Crested Penguin	<i>Eudyptes robustus</i>	20.0%	< 1	

Summary of New Zealand Bird Finding for Last 10 Trips in 2018 and 2019		Percentage of Tours Seen	Number of Days on Avg. Seen per Tour	
Additional Other Wildlife Seen				
	Blue shark	<i>Prionace glauca</i>	40.0%	< 1
	Bottlenose dolphin	<i>Tursiops truncatus</i>	50.0%	< 1
E	Cave weta	<i>Rhaphidophoridae</i> family	40.0%	< 1
	Dusky dolphin	<i>Lagenorhynchus obscurus</i>	80.0%	< 1
	European hare	<i>Lepus europaeus</i>	80.0%	< 1
	European rabbit	<i>Oryctolagus cuniculus</i>	80.0%	< 1
	Hector's dolphin	<i>Cephalorhynchus hectori</i>	60.0%	< 1
	House mouse	<i>Mus musculus</i>	40.0%	< 1
	Killer whale	<i>Orcinus orca</i>	30.0%	< 1
	Kingfish		20.0%	< 1
	New Zealand (Hooker's) sealion	<i>Phocarctos hookeri</i>	80.0%	< 1
	New Zealand fur seal	<i>Arctocephalus forsteri</i>	90.0%	< 1
	New Zealand red admiral	<i>Vanessa gonerilla</i>	30.0%	< 1
	Red admiral butterfly		30.0%	< 1
	Short-beaked common dolphin	<i>Delphinus delphis</i>	70.0%	< 1
	Stoat	<i>Mustela erminea</i>	30.0%	< 1
E	Tree weta	<i>Hemideina sp</i>	30.0%	< 1
	Tuatara	<i>Sphenodon punctatus</i>	70.0%	< 1
	Yellow-tailed Kingfish		20.0%	< 1

E = endemic to New Zealand